

## COMPOSITION - WARDROBE ETHAN

## **Technical characteristics**

STRUCTURES: the Ethan range of bedroom storage is constructed around single bays of width 1T/W54.1 and double-width bays of width 2T/L 112.1 With an overall depth of D 60, there is a choice of 3 panel heights: H235, H260 and a version offering a cut in height (lacquered doors only) between H260 and H235. Choice of 2 finishes for exteriors (side panels and doors): satin white or perle lacquer. Interiors are in perle lacquer. DOOR: doors boast a vertical handle H 96 in 15 x 15 mm square section anodised aluminium in a brushed smoked or white lacquered finish. This is located in the lower section of the door, either to the left or to the right, and has a lateral hand-hold towards the top. Choice of hinged single doors (left or right, in width 1T / W 57.6) or 2T double doors, in the 3 height choices mentioned above (H 235, H 260 or with optional cut in height between H 260 and H 235) (white or perle lacquered doors only). A cut-to-measure end filler panel with a useful bay of cut-to-measure shelving (between W 54.1 and W 26.5) and a flat-fronted push-catch hinged door are available for widthways adjustment. Doors are available in STEELCUT TRIO 3 (choose from any colour in the swatch) with brushed smoked-effect anodised aluminium frames, or in toughened grey smoked glass with brushed smokedeffect anodised aluminium frames, or in satin blanc or perle-lacquered MDF.



**DIMENSIONS** 

These 3 types of doors may be mixed within a single composition and one can even specify 1 lacquered and 1 fabriccovered door in a 2 T double bay. Behind the grey smoked glass doors, the back panel of a 1T or 2T unit may be given an optional covering of STEELCUT TRIO 3 fabric (choose from any colour in the swatch). Smoked glass doors (translucent but coloured) are mounted onto the structure using special new hinges set into the top and bottom of the unit. Doors are available in single (1T) or double (2T) widths. Doors are equipped with a controlled closing system. INTERIOR FITTINGS: the traditional panel-based interior fittings are: - 1T single or 2T double shelf and 1T or 2T shelf with hanging rail. Rectangularsection hanging rails are finished in canon de fusil (gunmetal) lacquer and their tops have a protective covering to avoid them being marked by hangers. The supports for the 1T rail are located at its extremities, whilst the 2T rail has an extra support in the centre. - 1T or 2T block of drawers with a larger one at the bottom (brushed smoked effect aluminium handholds). Ethan also offers new accessories for 2017: - The 1T or 2T hanging rail may also be located at the top of a bay, beneath the top, which enables the bay to be divided into two identical hanging spaces for longer clothes. - Packs of 5 hangers, either plain or stemmed (for high access), in light walnut-effect solid beech, wider at the shoulders to accommodate suits. - Bays are lit with an LED strip set into the front of an intermediate panel: these may be to the right or the left but never on a side panel. A deflector prevents glare. A movement sensor detects the opening of the doors and cuts out the lighting 20 seconds after closing. For bays which are equipped with shelves or hanging rails, there are LED's along the full height of the strip; for bays in which a 3drawer chest is specified, there are LED's along the upper half of the strip

only, that is, above the drawers. Other refined accessories include: - 1 storage chest (H27 W50 D42) with lid strap, covered in anthracite leather-look fabric and lined in grey flock - 1 multi-use chest H5 W43 D37 covered in anthracite leather-look fabric and lined in grey flock - 1 storage chest with dividers H5 W43 D37 covered in anthracite leather-look fabric with dividers covered in light grey leather-look fabric - 1 jewellery chest W42,5 x 15 x H 5, with structure in smoked oak veneer and interior covered in anthracite leather-look fabric with 2 smooth-based sections and a central ridged section for rings.

## More information on

www.cinna.fr © Ligne Roset 2024